


80 x 133 mm
PFO



PR 777 REDOXAL (with a velcro backing)
For hard materials.

USE : To sand hard materials (hard wood, steel...), high resistance (E-paper backing 220 gr, resin).
Lifetime (brown aluminium oxide).



TECHNICAL DATA : Paper backing E (220gr.), brown aluminium oxide, resin.

LR590	Boxes of 10			Boxes of 50		
Grit	Code	Lead time	Code	Lead time	Code	Lead time
40	1451	OR	1065	OR		
60	1452	OR	1064	OR		
80	1453	ST	1063	ST		
120	1454	OR	1061	ST		
180	1455	OR	8537	OR		
240	1456	OR	6650	OR		

PR777	Boxes of 50				
Grit	Code	Lead time			
40	1457	OR			
60	1458	OR			
80	1459	OR	FESTO	RS4 - RS4E	
120	1460	OR	HITACHI	SV8SA	
180	1461	OR	BOSCH	GSS16A	

	80 x 133 mm PF1	93 x 178 mm PF2	93 x 185 mm PF3	115 x 228 mm PF4
FESTO	RS4 - RS400 - DUPLEX	RS300 - RS3 - RS3E - LRS93 LRM3 - LRG3 - RTM/E	RS3/SFE - RS3/SFE	RS1 - RS2 - RS2E - RTS/1 - LRB/W1
BLACK & DECKER			KA175 - KA186 - KA186AE	
BOSCH		GSS16A	PSS22 - PSS23A - PSS23AE PSS150A - GSS230A - GSS230AE	
MAKITA			9036	
METABO			SR226 - SRE227 - SR4350	
AEG			VS230 - VSE230 - VSS260 - VSSE260	
HITACHI			FS1058	
RYOBI			NS801 - S350 MICRO STICK	
SKIL			7300 - 7300S - 7390 - 7395	

LR 590 AUTOCLEAN (with a velcro backing)

	Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*
Grit	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code
40	9190	OR	6920	OR	9200	OR	1070	OR	9210	OR	1625	OR	9220	OR	1075	OR	7575
60	9191	OR	6921	OR	9201	OR	1069	OR	9211	OR	1626	OR	9221	OR	1074	OR	7576
80	9192	OR	6922	OR	9202	OR	1068	OR	9212	OR	1627	OR	9222	OR	1073	OR	7577
120	9193	OR	6923	OR	9203	OR	1066	OR	9213	OR	1628	OR	9223	OR	1071	OR	7578
180	9194	OR	6924	OR	9204	OR	1446	OR	9214	OR	1629	OR	9224	OR	1955	OR	7579
240	9189	OR	6925	OR	9231	OR	1447	OR	9232	OR	1630	OR	9233	OR	1956	OR	7580

PR 777 REDOXAL (with a velcro backing)

	Boxes of 50		Boxes of 50		Boxes of 50		Boxes of 50	
Grit	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time
40	2080	OR	2085	OR	2090	OR	2095	OR
60	2081	OR	2086	OR	2091	OR	2096	OR
80	2082	OR	2087	OR	2092	OR	2097	OR
120	2083	OR	2088	OR	2093	OR	2098	OR
180	2084	OR	2089	OR	2094	OR	2099	OR

* For boxes of 10 pieces, minimum order of 10 boxes of the same code.

Cut sheets

LR 590 AUTOCLEAN (with a velcro backing)

The most polyvalent product with an anti-clogging treatment.

USE : The LR590 guaranties a high finishing level with its the finer grits and an important cutting power with its coarser grits.

For sanding, scuffing and finishing on wood coat, paint, lacquer, varnish, polyester and plastics.

TECHNICAL DATA : E & C paper backing, semi-friable aluminium oxide, resin. Anti-clogging treatment.



93 x 93 x 93 mm PF10	93 x 93 x 93 mm PF11	95 x 95 x 95 mm PF12	100 x 150 mm PF13	105 x 105 x 105 mm PF14
	Deltex with backing SSH-STF V93*266/14 for RS300-RS3-LRS93		DS 400	DX93E - DX93E Plus
VP510 - KA510				
		PDA 10/92 - PDA 100 - PDA 120E PDA 180E - PDA200 - PDA240E GDA 280E		
		BO 4561 - 9046		
		DSE130 - DSE170 - DSE180 DES300		
				DSE 220

LR 590 AUTOCLEAN (with velcro)

10*	Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50	
ad time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time
OR	7440	OR	7585	OR	7610	OR	7595	OR	7460	OR	7605	OR	5312	OR	7625	OR	7640	OR
OR	7441	OR	7586	OR	7611	OR	7596	OR	7461	OR	7606	OR	5313	OR	7626	OR	7641	OR
OR	7442	OR	7587	OR	7612	OR	7597	OR	7462	OR	7607	OR	5314	OR	7627	OR	7642	OR
OR	7444	OR	7588	OR	7614	OR	7598	OR	7464	OR	7608	OR	5315	OR	7628	OR	7643	OR
OR	7446	OR	7589	OR	7616	OR	7599	OR	7466	OR	7609	OR	5318	OR	7650	OR	7644	OR
OR	7448	OR	7590	OR	7618	OR	7600	OR	7468	OR	7620	OR	5908	OR	7629	OR	7645	OR

PR 777 REDOXAL (with velcro)

Boxes of 50		Boxes of 50		Boxes of 50		Boxes of 50		Boxes of 50	
Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code
OR	7630	OR	7500	OR	5864	OR	7651	OR	
OR	7631	OR	7501	OR	5865	OR	7652	OR	
OR	7632	OR	7502	OR	5863	OR	7653	OR	
OR	7634	OR	7504	OR	5860	OR	7654	OR	
OR	7636	OR	7506	OR	5332	OR	7655	OR	



PU416 OXAJAUNE (without velcro backing)

For tender materials.

USE : The PU416 is efficient on plaster, coats and tender woods. High resistance and self-sharpening (white aluminium oxide).

TECHNICAL DATA : E-paper backing (P40 to P80) and C-paper backing (P100 and +), white aluminium oxide, resin.



	93 x 230 mm P1	115 x 280 mm P2	93 x 230 mm PB	93 x 230 mm PA
FESTO	RSL3E - RS3/STF - RS3E/STF	RS1/STF - RS2/STF - RS2E/STF	LRG2 - LRM2 - LRH3 - LRG3 LRM3 - RTM(E) - RS3/STF - RS3 RS3E - STF - LRS93M - LRS93G	
BLACK & DECKER	BD41AE - BD170 - DN170 - BD175 BD180E - DN180E - KA185 - KA185E	DN48 - BD49 - BD273 - SR410E DN277E - BD277E - P63/03 P63/04 - P63/05	KA185 - KA185E	DN41 - DN41A - DN41E - BD41H BD41AE - VB135A - BD170 - BD175K - BD175 - DN175 - KA180 DN180 - BD180 - BD180E - KA185 KC962
BOSCH	GSS23 - GSS23AE - PSS23 - PSS23A PSS23AE - PSS220 - PSS230	GSS28 - PSS28A - PSS28AE - PSS280AE	GSS23 - GSS23AE - GSS23E PSS150A - PSS180A - PSS23 - PSS23A PSS23AE - PSS240A - GSS230AE	
MAKITA	990 - 9036 - 90355 (DW) - 9035KB	9045N - 9046	9036	
METABO	SR221 - SF226 - SRE227 - SFE227 SR4320	SR328 - SRE329 - SR4321	SR221 - SR225 - SR226 - SRE225 SRE226 - SRE227 - SR282 - SRE284 SRE326 - SRE327 - SR356 - SR357	
AEG	VS130 - VSE130 - VS230 - VSE230 VSS260 - VSSE260	VSS20 - VSSE20 - VS250 - VS260 VS280 - VSE280 - VSSE280	S35 - S36B - NS401 - NS801	VS(E)130 - VSE230 - VSE230E
HITACHI		SV12		
RYOBI	LS35 - HS35/545 - NS40 - BOS40 NS401 - NS801 - HS35 - S35	SU6200 - (NS)/6200(A) - NS6300A	S35 - S36B - NS401 - NS801	
SKIL	661H	666H		7385 - 7390 - 7395
PEUGEOT	10TV(E) - PV140 - PV220E - PV230(E) - PV4350	13TV - BP22 - PV280		10TV - 10TVE - V18E - PV140 - PV230 PV230E - PV240 - PV240LM - PV240A PV240AE - PV241 - PV410 - TV4102 TV4202 - TV4203 - TV4302 - TV4202C

LR 590 AUTOCLEAN (without velcro)



Grit	Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50	
	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time
40	9105	OR	1858	OR	9115	OR	1908	OR	9142	OR	1878	OR	9147	OR	1868	OR
60	9106	OR	1857	OR	9116	OR	1907	OR	9143	OR	1877	OR	9148	OR	1867	OR
80	9107	OR	1856	OR	9117	OR	1906	OR	9144	OR	1876	OR	9149	OR	1866	OR
120	9108	OR	1854	OR	9124	OR	1904	OR	9145	OR	1874	OR	9150	OR	1864	OR
180	9109	OR	1852	OR	9118	OR	1902	OR	9146	OR	1872	OR	9151	OR	1862	OR
240	9240	OR	1851	OR	9241	OR	1901	OR	9239	OR	1871	OR	9238	OR	1861	OR

PU 416 OXAJAUNE (without velcro)



Grit	Boxes of 50		Boxes of 50		Boxes of 50		Boxes of 50	
	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time
40	1440	OR	1540	OR	1481	OR	1468	OR
60	1438	OR	1538	ST	1479	OR	1466	OR
80	1437	OR	1537	ST	1478	OR	1465	OR
120	1435	OR	1535	ST	1476	OR	1463	OR
180	1483	OR	1529	ST	1474	OR	1471	OR

* For boxes of 10 pieces, minimum order of 10 boxes of the same code.

Cut sheets without velcro backing

LR 590 AUTOCLEAN (without velcro)


The most polyvalent product.

USE : The LR590 guaranties a high finishing level with its finer grits and an important cutting power with its coarser grits. For sanding, scuffing and finishing on wood coat, paint, lacquer, varnish, polyester and plastics.


TECHNICAL DATA : E & C paper backing, semi-frangible aluminium oxide, resin. Anti-clogging treatment.




115 x 280 mm
P2B



115 x 280 mm
P2A



115 x 280 mm
P2C



RTT - RTS - RTR - RTB - RSIC
RS2E - RS1 - RS2 - IAS/LAB -
LRTB1 - LRBW1 - LRB - RS1C

DN48 - DN49 - DN49E - BD49(E)
VB250E - BD273 - DN273
DN277(E) - SR410E - P63/04
P63/05 - BD49

GSS28AE - PSS280AE

9046 - 9045N

SR283 - SR285 - SR328 - SRE329
SR358 - SRE359

SV12D - SV12V - SV12SE - FSV12 - SV12SD

NS40 - NS6200A - NS6300A

TV20REA

662H - 663H - 666H

13TV - TV23E - TV23A - PV280A
PV290(A) - TV4003 - TV4103 -
TV4503 - BP22(AS)5E

RS1/STF - RS2/STF - RS2E/STF

BD273 - SR410E - P63-03 - P63/04
P63/05

GSS28 - PSS28A - PSS28AE -
PSS280AE

9046

SR328 - SRE329 - SR4321

VSS(E) - VS(E)14 - VS(E)20 - VSS(E)
20 - VSS(E)250 - VSS(E)280

666H

TV4403

LR 590 AUTOCLEAN (without velcro)

Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50		Boxes of 10*		Boxes of 50	
Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time	Code	Lead time
9162	OR	1928	OR	9167	OR	1918	OR	9177	OR	1938	OR
9163	OR	1927	OR	9168	OR	1917	OR	9178	OR	1937	OR
9164	OR	1926	OR	9169	OR	1916	OR	9179	OR	1936	OR
9165	OR	1924	OR	9170	OR	1914	OR	9180	OR	1939	OR
9166	OR	1922	OR	9171	OR	1912	OR	9181	OR	1929	OR
9237	OR	1921	OR	9236	OR	1911	OR	9235	OR	1930	OR

PU 416 OXAJAUNE (without velcro)


Boxes of 50		Boxes of 50		Boxes of 50	
Code	Lead time	Code	Lead time	Code	Lead time
1568	OR	1577	OR	1596	OR
1566	OR	1575	OR	1594	OR
1565	OR	1574	OR	1593	OR
1563	OR	1572	OR	1591	OR
1580	OR	1570	OR	1589	OR

GW 620 TAMEX Si

For plaster, coating,
but also wooden
floor and stone.

USE : Work on both sides with a low clogging level due to its mesh backing. Adapted to all power tools with clamps mentioned on these pages (p.28 and 29) according to two formats (93x230 and 115x280mm).

TECHNICAL DATA : Screen mesh, silicon carbide, resin. Boxes of 10 pieces.



Grit	Code	Lead time	Code	Lead time
60	6370	OR	4230	OR
80	6371	OR	4231	OR
100	6372	OR	4232	OR
120	6373	OR	4233	OR
150	6374	OR	4234	OR
180	6375	OR	4235	OR



ADVANTAGES

- ✓ The screen mesh backing **CUTS THE DEFECTS WITHOUT DIGGING THE MATERIAL WORKED.**
- ✓ Optimal use of both sides **ECONOMICAL PRODUCT.**
- ✓ An important dust extracting trough the meshes of the screen : **LIMITED CLOGGING.**
- ✓ Silicon carbide grit which self-sharpen itself: **EXCEPTIONAL LIFETIME.**